

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|---|------------------|---------|------------------|
| L1 | 2 | "6131399".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/03 19:32 |
| L2 | 2 | "5997928".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/03 19:48 |
| L3 | 0 | expiration same barcode same calculate | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/03 19:48 |
| L4 | 4 | expiration same (bar adj code) same calculate | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/03 19:51 |
| L5 | 537 | calculate same expiration | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/03 19:52 |
| L6 | 18 | 5 and barcode | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/03 19:52 |
| L7 | 46 | 5 and (bar adj code) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/03 19:52 |
| L8 | 0 | ("2004/0019453").URPN. | USPAT | OR | OFF | 2005/09/03 19:56 |
| L9 | 3 | 6 and error | USPAT | OR | OFF | 2005/09/03 19:57 |
| L10 | 10492 | time adj error | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/03 19:57 |
| L11 | 0 | 10 and 6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/03 19:58 |

| | | | | | | |
|-----|------|-----------------------------|---|----|-----|------------------|
| L12 | 0 | 10 and 7 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/03 19:58 |
| L13 | 143 | 235/462.13.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/03 20:20 |
| L14 | 421 | 705/22.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/03 20:21 |
| L15 | 866 | 235/462.01.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/03 20:21 |
| L16 | 1309 | 705/28.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/03 20:21 |
| L17 | 851 | 235/385.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/03 20:23 |
| L18 | 2 | "5786584".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/03 20:23 |
| S1 | 2 | "20020130184" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/29 18:01 |
| S2 | 4 | "5367148".pn. "5786584".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/29 17:22 |
| S3 | 123 | 235/462.13.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/29 17:25 |

| | | | | | | |
|-----|--------|--|---|----|-----|------------------|
| S4 | 366 | 705/22.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/29 17:25 |
| S5 | 755 | 235/462.01.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/29 17:25 |
| S6 | 1094 | 705/28.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/29 17:25 |
| S7 | 696 | 235/385.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/29 17:25 |
| S8 | 930 | (time same ((bar adj code) or barcode)) and expiration | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/29 17:54 |
| S9 | 1581 | palm adj pilot | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/29 17:54 |
| S10 | 106 | S9 and barcode | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/29 17:54 |
| S11 | 2 | "6308893".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/29 18:09 |
| S12 | 874 | 235/472.01.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/09/29 18:10 |
| S13 | 351305 | fujitsu.as. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/03 19:28 |

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| S14 | 1254 | fujitsu.as. and (bar adj code) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/03/05 12:02 |
| S15 | 65 | (fujitsu.as. and (bar adj code)) and merchandise | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/03/05 12:06 |
| S16 | 6 | ((fujitsu.as. and (bar adj code)) and merchandise) and expiration | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/03/05 12:02 |
| S17 | 26893 | tec.as. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/03/05 12:06 |
| S18 | 241 | tec.as. and (bar adj code) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/03/05 12:06 |
| S19 | 9 | (tec.as. and (bar adj code)) and merchandise | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/03/05 12:08 |
| S20 | 1 | merchandise same control same expiration same (barcode or bar adj code) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/03/05 12:15 |
| S21 | 0 | merchandise adj control same expiration | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/03/05 12:16 |
| S22 | 0 | (merchandise adj control) same expiration | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/03/05 12:16 |
| S23 | 12071 | time same (bar adj code or barcode) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/03/05 12:19 |

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| S24 | 12071 | time same ((bar adj code) or barcode) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/03/05 12:19 |
| S25 | 118 | ((time same ((bar adj code) or barcode)) and expiration) and merchandise | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/03/05 12:19 |
| S26 | 106 | ((((time same ((bar adj code) or barcode)) and expiration) and merchandise) and set | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/03/05 12:37 |
| S27 | 10 | ("4866661" "4973828" "5448044" "5469363" "5590038" "5739512" "5821513" "5845256" "5953234" "6003006").PN. | USPAT | OR | OFF | 2004/03/05 12:29 |
| S28 | 2 | "6327576".URPN. | USPAT | OR | OFF | 2004/03/05 12:30 |
| S29 | 11 | 235/462.13.ccls. and merchandise | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/03/05 13:03 |
| S30 | 0 | ("6327576".pn. "6148091".pn.) and error | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/03/05 13:04 |
| S31 | 0 | (("6327576".pn. "6148091".pn.) and error) and set | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/03/05 13:04 |
| S32 | 4 | "6327576".pn. "6148091".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/03/05 14:09 |
| S33 | 133 | 235/462.13.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/17 20:59 |
| S34 | 391 | 705/22.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/17 20:59 |

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S35 | 809 | 235/462.01.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/17 20:59 |
| S36 | 1168 | 705/28.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/17 20:59 |
| S37 | 756 | 235/385.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/17 21:00 |
| S38 | 1026 | (time same ((bar adj code) or barcode)) and expiration | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/17 21:00 |
| S39 | 2 | merchandise same control same expiration same (barcode or bar adj code) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/17 21:00 |
| S40 | 134 | ((time same ((bar adj code) or barcode)) and expiration) and merchandise) and set | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/17 21:00 |
| S41 | 4 | barcode same electronics same expiration | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/17 21:20 |
| S42 | 2 | "6,308,893".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/17 21:30 |
| S43 | 9354 | time adj error | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/17 21:31 |
| S44 | 1785 | S43 and adjust | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/17 21:31 |

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S45 | 164 | S44 and expiration | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/17 21:31 |
| S46 | 8 | S45 and barcode | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/17 21:32 |
| S47 | 2 | "6,327,576".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/17 21:34 |
| S48 | 11 | "5,786,584" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/17 21:34 |
| S49 | 2 | "5,786,584".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/17 21:34 |
| S50 | 2 | expiration same barcode same time same error | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/17 21:35 |
| S51 | 0 | ("2004/0103023").URPN. | USPAT | OR | OFF | 2005/02/17 21:36 |
| S52 | 0 | coupon same barcode same expiration same error | USPAT | OR | OFF | 2005/02/17 21:36 |
| S53 | 4 | coupon same barcode same expiration | USPAT | OR | OFF | 2005/02/17 21:39 |
| S54 | 0 | barcode same expiration same comparison same error | USPAT | OR | OFF | 2005/02/17 21:39 |
| S55 | 1 | barcode same expiration same comparison same time | USPAT | OR | OFF | 2005/02/17 21:40 |
| S56 | 0 | comparison same adjust same error same expiration same barcode | USPAT | OR | OFF | 2005/02/17 21:41 |
| S57 | 549 | comparison same adjust same error | USPAT | OR | OFF | 2005/02/17 21:41 |
| S58 | 0 | S57 and barcode | USPAT | OR | OFF | 2005/02/17 21:41 |
| S59 | 15 | S57 and expiration | USPAT | OR | OFF | 2005/02/17 21:41 |
| S60 | 4 | S59 and code | USPAT | OR | OFF | 2005/02/17 21:41 |

[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)
 [Advanced Search](#) [Preferences](#)

WebResults 1 - 10 of about 33,000 for **barcode expiration check unit**. (0.25 seconds)

[PDF] June 2,2003 Dockets Management Branch (HFA-305) Food and Drug ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Having the original drug's **expiration** date be a part of the **barcode** allows an
... **expiration check** during the process of preparing individual drug doses or ...

www.fda.gov/ohrms/dockets/dailys/03/Jun03/061203/02n-0204-c000067-01-vol14.pdf - [Similar pages](#)

[doc] FDA Comment

File Format: Microsoft Word 2000 - [View as HTML](#)

Having the original drug's **expiration** date be a part of the **barcode** allows an
automatic electronic **expiration check** during the process of preparing ...

www.fda.gov/ohrms/dockets/dailys/03/Jun03/062403/02N-0204_emc-000199-01.doc -

[Similar pages](#)

[PDF] Pfizer Introduces Hospital Unit Dose Barcodes

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Pfizer has selected the RSS-Stacked with Composite **bar code** symbologies. In ...

Check Digit. Application Identifier for **Expiration Date** ...

www.pfizer.com/pfizer/download/do/barcode_standard.pdf - [Similar pages](#)

Blood Product Face Label

When creating a label with a **unit** identification number, the DigiTrax printer

... The **barcode** value will be converted and printed as a text **expiration** date ...

www.militaryblood.dod.mil/library/guidelines/bp_face_label.htm - 43k - [Cached](#) - [Similar pages](#)

Food & Drug Packaging: Pfizer begins bar coding unit-dose blisters ...

Pfizer chose the RSS **bar code** symbology for two reasons: ... 0071036240 NDC 3

Check Digit 17 Application Identifier for **Expiration Date** 040331 **Expiration** ...

www.findarticles.com/p/articles/mi_m0UQX/is_1_67/ai_97484073 - 28k - [Cached](#) - [Similar pages](#)

Retail & Bar Code Systems General Glossary

BAUD-UNIT of signaling speed. The speed in baud is the number of discrete ...

Normally a credit card number, **expiration** date and customer name are ...

www.tyner.com/glossary.htm - 20k - [Cached](#) - [Similar pages](#)

brought to you by: Volume 2, Issue 5 March 31, 2003 and Honeywell ...

"Bar codes would be part of a system, along with **bar code** scanners and ...

Unit-dose bar coding, lot coding, and **expiration** dating may have greater impact ...

www.devicelink.com/pmpn/newsletters/03_31_03.html - 11k - [Cached](#) - [Similar pages](#)

(Bar Code Supplement) Using Bar Codes to Reduce Medical Errors ...

... and **expiration** date information on **unit** doses and other small packages, ...

"It is easy to **bar code** **unit-of-use** packages now," says Pete Umbdenstock, ...

www.devicelink.com/pmpn/archive/00/03/007.html - 51k - [Cached](#) - [Similar pages](#)

[PDF] Bar Code Labeling Standard

File Format: PDF/Adobe Acrobat - [View as HTML](#)

on our **check** stub. The release number will be provided by Micron only on ...

3.6.5.3 For lot-tracked material without an **expiration** date, the Special data ...


download.micron.com/pdf/suppliers/barcode.pdf - [Similar pages](#)

BarCode-1 2-Dimensional Bar Code Page

This page gives an overview of 2-dimensional **bar code**. ... Most two-dimensional codes use **check** words to insure accurate reading. Acceptable read rate is a ...
www.adams1.com/pub/russadam/stack.html - 43k - [Cached](#) - [Similar pages](#)

Gooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 [10](#) [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google